

Extruded Tubes - Virgin p.t.f.e.

| O.D. (mm) | I.D. (mm) | Tol. O.D. (mm) | Tol. I.D. (mm) | Weight (kg/m) | Length 2000 mm | O.D. (mm) | I.D. (mm) | Tol. O.D. (mm) | Tol. I.D. (mm) | Weight (kg/m) | Length 2000 mm | O.D. (mm) | I.D. (mm) | Tol. O.D. (mm) | Tol. I.D. (mm) | Weight (kg/m) | Length 2000 mm |
|-----------|-----------|----------------|----------------|---------------|----------------|-----------|-----------|----------------|----------------|---------------|----------------|-----------|-----------|----------------|----------------|---------------|----------------|
| 10 | 4 | +0,5 -0 | +0 -0,5 | 0,16 | ● | 30 | 18 | +1,0 -0 | +0 -1,0 | 1,20 | ● | 65 | 40 | +2,0 -0 | +0 -2,0 | 4,85 | ● |
| | 5 | | | 0,15 | ● | | 20 | | | 1,06 | ● | | 45 | | | 4,10 | ● |
| | 6 | | | 0,13 | ● | | 22 | | | 0,80 | ● | | 50 | | | 3,54 | ● |
| | | | | | | | 25 | | | 0,71 | ● | | 55 | | | 2,74 | ● |
| 12 | 6 | +0,5 -0 | +0 -0,5 | 0,21 | ● | 32 | 10 | +1,5 -0 | +0 -1,5 | 1,75 | ● | 70 | 30 | +2,0 -0 | +0 -2,0 | 7,25 | ● |
| | 8 | | | 0,18 | ● | | 15 | | | 1,54 | ● | | 35 | | | 6,78 | ● |
| 14 | 6 | +0,5 -0 | +0 -0,5 | 0,32 | ● | 32 | 20 | +1,5 -0 | +0 -1,5 | 1,34 | ● | 70 | 40 | +2,0 -0 | +0 -2,0 | 5,96 | ● |
| | 8 | | | 0,27 | ● | | 22 | | | 1,13 | ● | | 45 | | | 5,74 | ● |
| | | | | | | | 25 | | | 1,03 | ● | | 50 | | | 4,61 | ● |
| | 10 | | | 0,22 | ● | | | | | | | | 55 | | | 3,87 | ● |
| 15 | 6 | +0,5 -0 | +0 -0,5 | 0,37 | ● | 35 | 10 | +1,5 -0 | +0 -1,5 | 2,00 | ● | 75 | 30 | +2,0 -0 | +0 -2,0 | 8,53 | ● |
| | 8 | | | 0,31 | ● | | 15 | | | 1,89 | ● | | 35 | | | 7,94 | ● |
| | 10 | | | 0,26 | ● | | 18 | | | 1,77 | ● | | 40 | | | 7,08 | ● |
| 16 | 6 | +0,5 -0 | +0 -0,5 | 0,43 | ● | 35 | 20 | +1,5 -0 | +0 -1,5 | 1,66 | ● | 75 | 40 | +2,0 -0 | +0 -2,0 | 6,55 | ● |
| | 8 | | | 0,38 | ● | | 22 | | | 1,38 | ● | | 45 | | | 5,77 | ● |
| | 10 | | | 0,31 | ● | | 25 | | | 1,27 | ● | | 50 | | | 4,69 | ● |
| | 12 | | | 0,23 | ● | | 28 | | | 1,07 | ● | | 55 | | | 4,22 | ● |
| 18 | 6 | +0,5 -0 | +0 -0,5 | 0,54 | ● | 38 | 20 | +1,5 -0 | +0 -1,5 | 2,10 | ● | 80 | 40 | +2,0 -0 | +0 -2,0 | 8,87 | ● |
| | 8 | | | 0,48 | ● | | 25 | | | 1,56 | ● | | 50 | | | 7,04 | ● |
| | 10 | | | 0,44 | ● | | 28 | | | 1,39 | ● | | 60 | | | 5,43 | ● |
| | 12 | | | 0,40 | ● | | 30 | | | 1,17 | ● | | 65 | | | 4,52 | ● |
| 20 | 6 | +0,5 -0 | +0 -0,5 | 0,70 | ● | 40 | 10 | +1,5 -0 | +0 -1,5 | 2,68 | ● | 80 | 50 | +2,0 -0 | +0 -2,0 | 8,62 | ● |
| | 8 | | | 0,65 | ● | | 15 | | | 2,54 | ● | | 60 | | | 8,39 | ● |
| | 10 | | | 0,60 | ● | | 20 | | | 2,35 | ● | | 65 | | | 5,60 | ● |
| | 12 | | | 0,49 | ● | | 25 | | | 1,98 | ● | | 70 | | | 5,18 | ● |
| | 14 | | | 0,43 | ● | | 30 | | | 1,56 | ● | | 75 | | | 4,04 | ● |
| 22 | 6 | +1,0 -0 | +0 -1,0 | 0,78 | ● | 45 | 10 | +1,5 -0 | +0 -1,5 | 3,36 | ● | 85 | 50 | +2,0 -0 | +0 -2,0 | 10,51 | ● |
| | 8 | | | 0,75 | ● | | 15 | | | 3,23 | ● | | 60 | | | 7,22 | ● |
| | 10 | | | 0,71 | ● | | 20 | | | 2,93 | ● | | 65 | | | 7,06 | ● |
| | 12 | | | 0,63 | ● | | 25 | | | 2,69 | ● | | 70 | | | 6,26 | ● |
| | 14 | | | 0,57 | ● | | 30 | | | 2,23 | ● | | 75 | | | 4,99 | ● |
| | 15 | | | 0,50 | ● | | 35 | | | 1,82 | ● | | 80 | | | 3,99 | ● |
| 25 | 6 | +1,0 -0 | +0 -1,0 | 1,07 | ● | 50 | 20 | +1,5 -0 | +0 -1,5 | 3,97 | ● | 90 | 50 | +2,0 -0 | +0 -2,0 | 11,87 | ● |
| | 8 | | | 1,05 | ● | | 25 | | | 3,50 | ● | | 60 | | | 7,55 | ● |
| | 10 | | | 1,02 | ● | | 30 | | | 3,10 | ● | | 70 | | | 5,53 | ● |
| | 12 | | | 0,95 | ● | | 35 | | | 2,54 | ● | | 80 | | | 4,20 | ● |
| | 14 | | | 0,88 | ● | | 40 | | | 1,81 | ● | | 85 | | | 3,99 | ● |
| | 15 | | | 0,83 | ● | | | | | | | | | | | | |
| | 18 | | | 0,68 | ● | | 20 | | | 4,78 | ● | | | | | | |
| 20 | 0,58 | ● | 25 | 4,49 | ● | | | | | | | | | | | | |
| 27 | 10 | +1,0 -0 | +0 -1,0 | 1,34 | ● | 55 | 30 | +2,0 -0 | +0 -2,0 | 3,91 | ● | 100 | 50 | +3,0 -0 | +0 -3,0 | 13,22 | ● |
| | 12 | | | 1,08 | ● | | 35 | | | 3,48 | ● | | 60 | | | 12,02 | ● |
| | 15 | | | 0,90 | ● | | 40 | | | 2,85 | ● | | 70 | | | 10,11 | ● |
| | 18 | | | 0,78 | ● | | 45 | | | 2,20 | ● | | 80 | | | 7,08 | ● |
| | 20 | | | 0,65 | ● | | | | | | | | 85 | | | 5,45 | ● |
| 28 | 15 | +1,0 -0 | +0 -1,0 | 1,09 | ● | 60 | 20 | +2,0 -0 | +0 -2,0 | 5,64 | ● | 105 | 80 | +3,0 -0 | +0 -3,0 | 8,59 | ● |
| | 18 | | | 0,95 | ● | | 25 | | | 5,36 | ● | | | | | | |
| | | | | | | | 30 | | | 5,01 | ● | | | | | | |
| | 20 | | | 0,86 | ● | | 35 | | | 4,50 | ● | | | | | | |
| 30 | 8 | +1,0 -0 | +0 -1,0 | 1,58 | ● | 65 | 40 | +2,0 -0 | +0 -2,0 | 3,80 | ● | 110 | 80 | +3,0 -0 | +0 -3,0 | 10,26 | ● |
| | 10 | | | 1,53 | ● | | 45 | | | 3,00 | ● | | 90 | | | 7,86 | ● |
| | 12 | | | 1,46 | ● | | 50 | | | 2,53 | ● | | 100 | | | 5,47 | ● |
| | 14 | | | 1,38 | ● | | | | | | | | | | | | |
| | 15 | | | 1,32 | ● | | 25 | | | 6,65 | ● | | 120 | | | 80 | +3,0 -0 |
| | | | 30 | 6,30 | ● | | | | | | | | | | | | |
| | | | 35 | 5,83 | ● | | | | | | | | | | | | |

● Additional production
 ● Standard production

Edition 10.01

Tolerance on length: +2%
 Weights stated are for guide purposes only



fluorseals^{spa}
 prodotti in p.t.f.e.